


Reference:

Tommaso Briatico, Principle
Tommaso Briatico Architects
120 West Tupper Street
Buffalo, NY 14201
716-856-9131

Key Personnel:

Robert Gallucci, PE



1526 MAIN STREET

BSA SWPPP CONFORMANCE

BIORETENTION DRAINAGE PLAN

Tommaso Briatico (TB) Architects engaged BGI to prepare a stormwater analysis for a project located within the combined sewer collection area of the Buffalo Sewer Authority. A conceptual grading and drainage plan was in place and this conceptual plan is based upon the construction of bioretention basins. The BSA design guidelines require erosion and sedimentation control during the construction phase of the project. Post construction requirements are based upon the concept of controlling the post development 25 year storm peak flow rate to the predevelopment 2 year storm frequency peak flow rate.

The project has 0.392 acres of parking (17076 s.f.) which sheet flows to two bioretention beds located along the north edge of the property. The total area of the beds is 1628 sf, each having a depth of 2.5 feet. The maximum ponding depth at each bed is 6 inches. The overflow from both the beds are collected and have a single restricted 4-inch diameter orifice discharging to the combined sewer. The design intent is to reduce volume to the combined sewer via evapotranspiration mechanisms, and to attenuate flows by using the beds as a detention basin.

The project was constructed in the fall of 2014 and has performed well, exceeding all BSA expectations.